temperature (3-5°C). Filamentous fungi were maintained on Czapek Malt slants at refrigeration temperature (3-5°C), until needed for the assay.

## In the Claims:

Please cancel claims 1-32.

Please add new claims 33-43 as follows.

33. (New) An oleanane triterpenoid oligoglycoside isolated from Aegiceras corniculatum and having the formula I:

wherein  $R_1$  is selected from the group consisting of -OH, -OAc and =O.

34. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein  $R_1$  has a  $\alpha$  or  $\beta$  configuration.

- 35. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein the polysaccharide carbohydrate portion has a monosaccharide having a D or L rotation and the intersugar linkages have a  $\alpha$  or  $\beta$  configuration.
- 36. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein the carbohydrate portion linked to the alglycone portion at position 3 has a  $\beta$  configuration.
- 37. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein  $R_1$  is -OH.
- 38. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein the  $C_{13}-C_{28}$  oxydo ring has a  $\beta$  configuration.
- 39. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein the compound inhibits growth of fungi selected from candida sp. and Cryptococcus neoformans.
- 40. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein the compound inhibits growth of *Microsporin gypseum*, *Trichophyton mentagrophytes*, *T. tonsurans* and *T. violaceum*.

- 41. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein the compound inhibits growth of *Aspergillus fresenii* and *A. niger*.
- 42. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein the compound is used for treating candidiasis, cryptococcosis, epidermal infections and systemic infections.
- 43. (New) The isolated oleanane triterpenoid oligoglycoside compound according to claim 1 wherein the compound is used as a food preservative.